



Children's Acetaminophen

		Infant's Concentrated Drops 80mg/0.8 ml (OLD Formulary)	Children's Suspension Liquid 160mg/5 ml (NEW Formulary)	Children's Soft Chews Chewable Tablets 80 mg each	Junior Strength Chewable Tablets 160 mg each
Dose		Dropper Amount	Teaspoon (TSP)	Tablet	Tablet
WEIGHT	AGE				
6-11 lbs	2-3 mos	½ dropper = (0.4mL)	¼ dropper = 1.25 ml	x	x
12-17 lbs	4-11 mos	1 = (0.8mL)	1/2 tsp = 2.5ml	x	x
18-23 lbs	12-23 mos	1-1/2 = (0.8 + 0.4mL)	3/4tsp = 3.75ml		x
24-35 lbs	2-3 yrs	2 = (0.8 + 0.8mL)	1 tsp = 5ml	2	x
36-47 lbs	4-5 yrs	x	1 1/2 tsp = 7.5ml	3	x
48-59 lbs	6-8 yrs	x	2 tsp = 10ml	4	2
60-71 lbs	9-10 yrs	x	2 1/2 tsp = 12.5ml	5	2 1/2
72-95 lbs	11 yrs	x	3 tsp = 15ml	6	3
96 lbs & over	12 yrs	x	x	x	4

Use only as directed.

NOTE: If possible, use weight to dose; otherwise use age.

All dosages may be repeated every 4 hours, but not more than 6 times daily.



Children's Ibuprofen

Dose		Dropperful	Teaspoon (TSP)	Tablet	Tablet	Caplet
WEIGHT	AGE	Ages 6-23 months Infant's Ibuprofen Concentrated Drops 50 mg/1.25 ml	Ages 2-11 years Children's Ibuprofen Suspension 100 mg/5 ml	Ages 2-11 years Children's Ibuprofen Chewable Tablets 50mg	Ages 6-11 years Junior Strength Ibuprofen Chewable Tablets 100mg	Ages 6-11 years Junior Strength Ibuprofen Caplets 100mg
UNDER 6 months		DO NOT USE UNDER THE AGE OF 6 MONTHS				
12-17 lbs	6-11 months	1 = (1.25mL)	x	x	x	x
18-23 lbs	12-23 mos	1- 1/2 = (1.875 mL)	x	x	x	x
24-35 lbs	2-3 yrs	x	1 (TSP)	2	x	x
36-47 lbs	4-5 yrs	x	1 1/2 (TSP)	3	x	x
48-59 lbs	6-8 yrs	x	2 (TSP)	4	2	2 caplets
60-71 lbs	9-10 yrs	x	2 1/2 (TSP)	5	2 1/2	2 1/2 caplets
72-95 lbs	11 yrs	x	3 (TSP)	6	3	3 caplets
96 lbs & over	12 yrs				4	

OTC DOSING: You may give Ibuprofen every 6 to 8 hours, but no more than 4 times within a 24 hour period.

Keep all medication out of reach of children.

Use only as directed by your physician.